

INDEX MAPS.

TH ✓

T.12N R.4W 2nd Mer.

	124	124	123-125	123-125	123-125	123-125						
128	6	137	5	140	4	142	3	146	2	151	1	122
	137		139		142		146		150		153	
127	7	136	8	139	9	141	10	145	11	150	12	122
	135-136	136	138		141		145		149		152	
127	18	133	17	138	16	141	15	144	14	149	13	122
	132		133-138	138	140		144		149		152	
126	19	132	20	134	21	140	22	143	23	148	24	121
	132		134		134	135	135-143		148		152	
126	30	131	29	133	28	134	27	143	26	147	25	121
	128		129		129		130		130-147		151	
126	31	128	32	129	33	131	34	129	35	131	36	120
	120		120		120		119		119		119	

T.13N R.4W 2nd Mer.

	161	160-161	160-161	160-162	160-162	160-162						
164	6	188	5	183	4	178	3	174	2	169	1	159
	190		186		182		178		173		168	
164	7	186	8	182	9	177	10	173	11	168	12	159
	189		186		182		177		172		168	
164	18	186	17	181	16	176	15	172	14	167	13	158
	189		185		181		176		171		167	
163	19	185	20	180	21	176	22	171	23	166	24	158
	189		185		180		175		171		166	
163	30	184	29	179	28	175	27	170	26	165	25	158
	188		184		179		174		170		165	
163	31	183	32	179	33	174	34	169	35	164	36	158
	156		156		155-157		155-157		155-157		155-157	

The figures on the lines refer to the page.

Township No 12 North of Range No 4 West 2nd Mer. Indian
Ch. lks.

119

South Boundary.

May 4. 1811

B181

West On the South Boundary of Sec. 36. T12 N R4 W
10.00 To a Brook 200 links wide, Co. S.
40.00 Set a 74 copper post from which
a Brook. 14 in. diam. runs S 34 N. 14 links wide; 7 a,
do. 13 " " " N 30 E. 17 " "
44.25 To a Brook 200 links wide, Co. N. N.
65.50 To " " 10 " " " N. N.
80.00 Set a post for the cor. of Sec. 35 & 36 from which
a Brook. 5 in. diam. runs S 78 N. 26 links wide; 7 a,
W. Oak. 14 " " " N 74 E. 10 " "
Good lands; Timber Sugar Birch & Hemlock

West On the South Boundary of Sec. 35 T12 N R4 W
25.00 To a Brook 20 links wide, Co. N.
40.00 Set a 74 copper post from which
a Brook. 5 in. diam. runs S 75 N. 8 links wide; 7 a,
do. 3 " " " N 44 E. 10 " "
43.50 To a Brook. 12 links wide, Co. N.
80.00 Set a post for the cor. of Sec. 34 & 35 from which
a Brook. 12 in. diam. runs S 70 E. 4 links wide; 7 a,
Poplar. 30 " " " N 27 N. 49 " "
Lands & Timber same as last mile.

West On the South Boundary of Sec. 34. T12 N R4 W
40.00 Set a 74 copper post from which
a Brook. 16 in. diam. runs N 44 E. 18 links wide; 7 a,
Catalpas 12 " " " S 52 N. 14 " "
80.00 Set a post for the cor. of Sec. 33 & 34 from which
a Brook. 12 in. diam. runs S 82 N. 34 links wide; 7 a,
do. 5 " " " N 25 E. 26 " "
Poor hilly Brook lands.

West On the South Boundary of sec. 33. T. 12 N. R. 4 W.
 24.50 To a Brook. 8 links wide, Co. N.W.
 40.00 Set a 7/4 cu post from which
 Beck. 18 in. diam. trees. S. 8 links west; 1 a
 No. 3 " " N 18 E. 39 " "
 70.00 To a Brook. 15 links wide, Co. N.W.
 80.00 Set a post for the cor. of sec. 32 & 33 from which
 a gun. 12 in. diam. trees. S. 6 E. 11 links west; 1 a
 No. 9 " " N 26 W. 13 " "
 Same timber same as last mile.

West On the South Boundary of sec. 32. T. 12 N. R. 4 W.
 40.00 Set a 7/4 cu post from which
 Beck. 16 in. diam. trees. N 43 W. 42 links west; 1 a
 No. 12 " " S 41 E. 18 " "
 48.00 To a Brook. 13 links wide Co. S.
 80.00 Set a post for the cor. of sec. 31 & 32 from which
 a gun. 10 in. diam. trees. N 60 E. 9 links west; 1 a
 Beck. 4 " " S 22 W. 17 " "
 Healthy Beck. land.

West On the South Boundary of sec. 31. T. 12 N. R. 4 W.
 34.50 To a Brook. 15 links wide, Co. S.W.
 40.00 To an R. Oak. 16 in. diam. which stands for 7/4 cu con
 70.00 Entered the N & S Range line 50 links south of the
 timber & fresh & established the cor. of T. N^o 11 & 12 N.
 R. N^o 4 & 5 W. from which
 Elm. 16 in. diam. trees. S. 5 E. 15 links west; 1 a
 Beck. 36 " " N 57 W. 40 " "
 Good Land; Enter Beck. May 5th 1811

East Boundary
 North On the East Boundary of sec. 36. T. 12 N. R. 4 W.

T. N. 12. N. R. N. 4 W. 2nd Mrs. Ind.

4.30 Intersect the N Boundary line of Harrison's Purchase set a post for the cor of sec 36 from which Maple 16 in. dia. bears S 71 W. 27 links dist; 1 a, Buck 14 " " " S 15 E. 43 " "

Surveyed by
James Holmes L.S.

Commenced at the Cor. on the N Boundary of Harrison's Purchase between Sec 31 & 36. S. 12 + 12 N. W. 3 + 4 thence S. 6° 20' Q 30

North

28.50 To Elk river 200 links wide, Co N

35.70 Set a 14 in. post from which Sugar 12 in. dia. bears N 53 E. 10 links dist; 1 a, Buck 10 " " " S 72 E. 5 " "

75.70 Set a post for the cor of sec 25 + 36 from which Sugar 9 in. dia. bears N 37 E. 19 links dist; 1 a, Buck 8 " " " S 57 W. 13 " "
Lands level and 2nd rate; Pasture with out; Timber mostly Buck, some Hickory Poplar. Gum. &c

North On the East Boundary of sec. 25 S. 12 N. R. 4 W

40.00 Set a 14 in. post from which Hickory 18 in. dia. bears S 34 W. 18 links dist; 1 a, Buck 10 " " " N 47 E. 28 " "

67.00 To a Brook 10 links wide, Co N

80.00 Set a post for the cor of sec 24 + 25 from which Hickory 10 in. dia. bears N 60 E. 1 link dist; 1 a, Buck 9 " " " S 60 W. 29 " "

Lands similar to last mile; middling for farming

North On the East Boundary of sec. 24 S. 12 N. R. 4 W

40.00 Set a 7 1/2 in. post from which Oak 36 in. dia. bears S 74 E. 3 links dist; 1 a

80.00 Buck 5 in. dist. bears S66 W. 10 links dist.
 Set a post for the cor. of sec. 13. & 24 from which
 Buck 12 in. dist. bears S43 E. 7 links dist; 1 a.
 Poplar 30 " " " N45 W. 17 "
 Land is rich and good for farming; Timber Buck
 Sugar Poplar Ash & Oak

North On the East Boundary of sec. 13. T12 N.R. 4 W
 40.00 Set a post for the cor. of sec. 13. & 24 from which
 Buck 8 in. dist. bears N25 W. 11 links dist; 1 a.
 Elm. 18 " " " S3 E. 25 " "
 80.00 Set a post for the cor. of sec. 12 & 13 from which on
 Elm. 8 in. dist. bears S33 W. 28 links dist; 1 a.
 Buck 24 " " " N42 E. 22 " "
 Land very rich and good for farming; a little
 rolling; Timber Buck, Sugar, Poplar, Walnut &c

North On the East Boundary of sec. 12 T12 N.R. 4 W
 34.00 To a Brook 8 links wide, Co. W.
 38.00 " " 6 " " " "
 40.00 Set a post for the cor. of sec. 12 & 13 from which
 Poplar 24 in. dist. bears North 21 links dist; 1 a.
 W Oak 36 " " " S51 W. 10 " "
 80.00 Set a post for the cor. of sec. 1 & 12 from which
 Sugar 14 in. dist. bears S57 E. 15 links dist; 1 a.
 Poplar 40 " " " S57 W. 20 " "
 Land same as last mile.

North On the East Boundary of sec. 1 T12 N.R. 4 W
 20.00 To a Brook 25 links wide, Co. W.
 40.00 Set a post for the cor. of sec. 1 & 12 from which
 Buck 18 in. dist. bears N72 E. 19 links dist; 1 a.
 Co 34 " " " S30 W. 39 " "

123

T^o N^o 12 N.R. N^o 4 W. 2nd Mer. Sec^o

80.00 Set a temporary post for the cor. of T^o 12, 13 & 14 W.
 R^o 3 & 4 N.
 Land rich and good for farming;

North Boundary

255

West Quakrandum line On the South Boundary of Sec. 36
 T^o 13 N.R. 4 W.

22.50 To a Brook 12 miles wide, Co. S.

40.00 Set a temporary post for the cor.

80.00 Set a temporary post for the cor. of Sec. 35 & 36.
 Land similar to last mile.

West Quakrandum line On the South Boundary of Sec. 35
 T^o 13 N.R. 4 W.

3.00 To a Brook 8 miles wide, Co. S.W.

22.00 " " " 12 " " " S.

40.00 Set a temporary post for the cor.

42.00 To a Brook 3 miles wide, Co. S.

76.00 " " 10 " 5 " " " S.W.

80.00 Set a temporary post for the cor. of Sec. 34 & 35
 Land similar and good for farming.

West Quakrandum line On the South Boundary of Sec. 34
 T^o 13 N.R. 4 W.

7.00 To a Brook 12 miles wide, Co. S.

40.00 Set a temporary post for the cor.

80.00 Set a temporary post for the cor. of Sec. 33 & 34

Land well & and 2nd rate middling good for farming.
 Timber Buck. & Sugar.

West Quakrandum line On the South Boundary of Sec. 33
 T^o 13 N.R. 4 W.

5.00 To a Brook 5 miles wide, Co. S.

T. N. 12. N.R. N. 47. 2nd Min Ind.

40.00 Set a trap 1/4 sec post
80.00 Set " " post for the cor. of sec. 32 & 33
Same as last mile

West On a Random line On the South Boundary of sec. 32
T. 13. N.R. 47.

40.00 Set a trap 1/4 sec post
52.00 To a Brook 12 links mid. sec. 31
75.00 " " " " " "
80.00 Set a trap 1/4 post for the cor. of sec. 31 & 32
Same as last mile.

West On a Random line on the South Boundary of sec. 31.
T. 12. N.R. 47

40.00 Set a trap 1/4 sec post
62.00 Intersect the Range line 350 links North of the Trap
Same as last mile.

East On a true line On the South Boundary of sec. 31
T. 13. N.R. 47

22.00 Set a 1/4 sec post from which
Bench 9 in. dist. bears S 44 E. 9 links dist; 1 in
Lo. 9 " " " N 62 W. 35 " "
62.00 Set a post on the true line for the cor. of sec. 31 & 32 from which
Bench 18 in. dist. bears N 71 W. 13 links dist; 1 in
Bench 12 " " " S 80 E. 30 " "

East On the true line on the South Boundary of sec. 32
T. 13. N.R. 47. v. 550

40.00 Set a 1/4 sec post on the true line from which
Bench 10 in. dist. bears N 66 W. 13 links dist; 1 in
Lo. 18 " " " S 32 E. 15 " "

80.00	Set the post in of sec. 32 & 33. on the true line from which a Sagafra. 12 mi. dist. bears S 30 E. 15 links dist; 1 a, Sugar. 20 " " " N 61 W. 35 " "
East	On the true line On the South Boundary of sec. 33. T. 13. N. R. 4 W
40.00	Set the 74 sec. post on the true line from which a Buck. 4 mi. dist. bears S 33 W. 8 links dist; 1 a, Lo. 9 " " " N 33 E. 41 " "
80.00	Set a post for the cor. of sec. 33 & 34 on the true line from which a Buck. 14 mi. dist. bears N 24 W. 24 links dist; 1 a, Lo 4 " " " S 54 W. 7 " "
East	On the true line On the South Boundary of sec. 34. T. 13. N. R. 4 W
40.00	Set the 74 sec. post on the true line. Made the corner on a N. Oak. 30 mi. dist.
80.00	Set a post for the cor. of sec. 34 & 35. on the true line from which Sugar. 18 mi. dist. bears S 27 W. 40 links dist; 1 a, Buck. 15 " " " N 20 E. 51 " "
East	On the true line On the South Boundary of sec. 35 T. 13. N. R. 4 W
40.00	Set the 74 sec. post on the true line from which a Buck. 30. mi. dist. bears. N 61 W. 18 links dist; 1 a, Lo. 14 " " " N 84 E. 39 " "
80.00	Set a post for the cor. of sec. 35 & 36 on the true line from which a Buck. 27 mi. dist. bears. S 13 W. 13 links dist; 1 a, Sugar. 9 " " " N 64 W. 45 " "
East	On the true line On the South Boundary of sec. 36 T. 13. N. R. 4 W
40.00	Set the 74 sec. post from which a (on true line)

T. N^o 12. N.R. N^o 4 N. 2nd Div. Sec. 2

Wick 7 in. dia^r bears N 76 E. 9 links dist; 7 a,
 Sugar. 12 " " " N 65 W. 32 " "
 80.00 Intersected the Range line 484 links South of Lumpy
 cr. & established the cor. off T^s 12. & 12: 13 & 13. N.R. N
 R. 3 & 4 N from which
 Buck 18 in. dia^r bears S 80 W. 11 links dist; 1 a,
 Elm. 24 " " " S 83 E. 49 " "
 Surveyed by
 William Harris. L.S.

West Boundary May 5. 1811 B 183

North On the East Boundary off cu. 36. T 12 N.R. 5 W
 40.00 Set a 7/8 cu post from which
 Buck. 5 in. dia^r bears N 41 W. 3 links dist; 1 a,
 Lo. 14 " " " S 28 E. 40 " "
 43.00 To a Brook. 15 links mid., Lo S W.
 80.00 Set a post for the cor. off cu. 25 & 36 from which
 Sugar. 17 in. dia^r bears S 63 E. 25 links dist; 1 a,
 Buck. 15 " " " N 69 W. 29 " "
 Set a Buck. stake.

North On the East Boundary off cu. 25 T 12 N.R. 5 W
 35.50 To Brook. 10 links mid., Lo S. E.
 40.00 Set a 7/8 cu post from which
 W. Oak 9 in. dia^r bears S 73 E. 19 links dist; 1 a,
 Sugar. 10 " " " S 41 W. 35 " "
 80.00 Set a post for the cor. off cu. 24 & 25 from which
 Buck. 12 in. dia^r bears N 39 E. 21 links dist; 1 a,
 Lo. 6 " " " S 55 W. 6 " "
 Stake & timber same

North On the East Boundary off cu. 24. T 12 N.R. 5 W
 40.00 Set a 7/8 cu post from which

80.00 P. Oak. 6 in. diam. beam. S 25 E. 9 units each; 1 a,
 10. 12 " " " N 85 W. 14 " "
 Set apart for the cor. of sec. 13 124 from which
 P. Oak. 13 in. diam. beam. N 37 E. 28 units each; 1 a,
 10. 5 " " " S 25 W. 34 " "
 Sand & timber same

North Oak East Boundary of sec. 13. T. 12 N. R. 5 W
 10.00 To a creek 200 lbs. min. Sec. W
 25.50 " " 10. 200 " " " E.
 39.50 " " 10. 10. " " " S. W.
 40.00 Post in creek. No bearing.
 80.00 Set apart for the cor. of sec. 12 & 13 from which
 Hick. 15 in. diam. beam. S 23 W. 35 units each; 1 a,
 Maple. 3 " " " N 37 W. 30 " "
 Sand not bottom; timber Elm, Ash, & Maple.

North Oak East Boundary of sec. 12. T. 12 N. R. 5 W
 22.00 Intersect the N Boundary of Harrison's Purchase
 Set apart from which
 P. Oak. 6 in. diam. beam. West 26 lbs. each; 1 a,
 10. 4 " " " S 28 E. 35 " "
 S. Oak Creek land;

Surveyed by
 James Holmes, L.S.

North Continued the line from Holmes post on the N Boundary
 of Harrison's Purchase V. 6. 25'
 18.00 Set a 74 lb post from which
 P. Oak. 9 in. diam. beam. S 38 W. 18 units each; 1 a,
 Sugar. 12 " " " S 40 E. 20 " "
 58.00 Set a post for the cor. of sec. 1. 12 from which
 P. Oak. 10 in. diam. beam. N 13 E. 15 units each; 1 a,
 Sugar. 12 " " " S 49 W. 30 " "

T. N. 12. NR. N. 47. 2nd Mn. S. 4^a.

Land well & good for farming
Timber Beech Sugar Oak Hickory

North Out to East Boundary of Sec. 1. T. 12. NR. 57
40.00 Set a 74 lb. post from which
Bench 30 in. dia. bears S 26 E. 27 links dist; 1 a
Co. 12 " " " N 45 E. 36 " "
80.00 Set a timber post for the cor. of T. 12. 12 & 13. 13 N.
R. 5. N. 4 & 5 W.
Land same as last entry.

Surveyed by
William Harris D.S.

Subdivisions
North Return Sec. 31 & 32 T. 12. NR. 47
40.00 Set a 74 lb. post from which
Hickory 24 in. dia. bears S 70 E. 23 links dist; 1 a
Co. 18 " " " N 82 W. 20 " "
80.00 Set a post for the cor. of Sec. 29. 30 31 & 32 from which
Bench 20 in. dia. bears N 85 W. 7 links dist; 1 a
Co. 18 " " " S 82 E. 55 " "
This mile Broken land, Timber Beech Oak &c
Undergrowth Spruce.

West Return Sec. 30 & 31 T. 12. NR. 47
20.25 To a Brook 25 links wide, Co. S.
38.50 " Co. 10 " " " S.E.
40.00 Set a 74 lb. post from which
Bench 12 in. dia. bears S 20 W. 30 links dist; 1 a
Co. 15 " " " N 35 E. 12 " "
67.56 Into out the West Boundary at the post cor. of Sec.
25 & 36 T. 12. NR. 57
Land broken; Timber Beech & W. Oak

East On a Kennam line between Sec^o 29 & 32 T12 N14 W
 14.00 To a Grate 20 links wide, Co. A.
 40.00 Set a 7th sec post in a branch 4 links wide, Co. S W.
 80.00 Enter out the N13 line at the post cor of sec^o 28, 29, 32 & 33

West On the true line between Sec^o 29 & 32 T12 N14 W
 40.00 Set the 1st sec post on the true line from which a
 Buck. 18 in dia^r bears N53 E. 32 links dist; & a
 Wrenham 4th " " N68 W 22 " "
 80.00 To the post cor of sec^o 29, 30, 31 & 32

North Between Sec^o 32 & 33 T12 N14 W
 40.00 Set a 7th sec post from which a
 Buck. 8 in dia^r bears S89 E 19 links dist & a
 " 5 " " " N89 W 7 " "
 80.00 Set a post for the cor. of sec^o 28, 29, 32 & 33 from which a
 Buck. 15 in dia^r bears North 35 links dist; & a
 Do. 30 " " S10 E. 16 " "
 This mile over broken land and good for farming
 Timber Buck. Sugar &c. W. J. Spive
 Feb 7 22. 1815.

East On a Kennam line between Sec^o 28 & 33 T12 N14 W
 27.60 To a Branch 10 links wide, Co. A.
 40.00 Set a 7th sec post by branch 4 links wide; Co. N. E. from
 which a Sugar 15 in dia^r bears S59 W. 18 links dist; & a
 and a Buck. 15 " " S78 E. 16 " "
 65.70 To a Branch 10 links wide Co. A.
 80.00 Enter out the N13 line at the post corner of sec^o 27, 28, 33
 & 34 This line over broken land Timber Oak, Buck
 Sugar. &c

North Between Sec^o 34 & 35 T12 N14 W

J. N^o 12. N. R. N^o 47. 2nd Mer. Sud.

- North
40.00 Between Sec 34 & 35 T. 12. N. R. 47
Set a 7/4 sec post from which
W. Oak. 36 in. dia^r beam N 64 W. 9 links dish; r. a.
Buck. 8 " " " S 7 E. 34 " "
This is with one bent land, Timber Buck. Oak. Sugar
W. Spruce.
50.00 Set a post for the cor. of sec. 26, 27, 34 & 35. from which
Hornbeam 5 in. dia^r beam S 39 E 15 links dish; r. a.
Buck. 8 " " " N 67 W. 27 " "
Lands same as before

- East
40.00 " " " between sec. 27 & 34 T. 12. N. R. 47
Set a 7/4 sec post from which
Buck. 7 in. dia^r beam S 5 E. 16 links dish; r. a.
Hornbeam 5 " " " N 23 W. 6 " "
79.68 To a Brook 20 links wide, Co. N.
80.00 Intersect the N. S. line at the post cor. of sec. 26, 27, 34 & 35
Lands 4 Brothers Timber Buck, Sugar, & Oak. W. Spruce.

- East
22.95 Between Sec 26 & 35 T. 12. N. R. 47
To a Poplar 30 in. dia^r stands in the line.
26.00 " " Branch 8 links wide, Co. N.
40.00 Set a 7/4 sec post from which
Sugar. 14 in. dia^r beam N 36 W. 27 links dish; r. a.
Poplar 15 " " " S 20 E. 17 " "
43.00 To a Brook 15 links wide, Co. N.
52.75 Intersect the N. Boundary line of Harrison's Purchase
& set a post for the cor. of sec. 26 & 35 on the East side
of an Island in Mill Creek about 3 ch^s below an ex-
posed mill; from which
W. Oak 12 in. dia^r beam N 54 W. 253 links dish; r. a.
Sugar. 10 " " " S 22 W. 25 " "
Lands 4 Brothers Timber Buck, Sugar, & Oak, W. Spruce

North	Between Sec. 35 & 36. T. 12. N. M. 4 N.
5.20	Set a 7 th Oak. 30 in. dist. stands in the tree.
24.10	" " Height 18 " " " " " "
40.00	Set a 7 th in post in Mill creek from which a Syc. 8 in. dist. trees N 34. 150 units dist; 1 a Span. Oak 18 " " " S 4 N. 80 " "
	The Creek Running N 18 N.
58.80	Intersect the N. Boundary line of Harris's Purchase and set a post for the cor. of sec. 35 & 36 from which a W. Oak. 12 in. dist. trees S 40 E. 15 units dist; 1 a Beech. 15 " " " N 70 W. 10 " "
	This mile over level land, Soil good, Timber Beech, Oak & Sugar. W. S. Pine. Feb. 21. 1815.

North	Between Sec. 33 & 34 T. 12. N. M. 4 N.
20.00	Set a 7 th Brook. 15 units wide, loc. N. M.
40.00	Set a 7 th in post from which a W. Oak. 18 in. dist. trees N 21 E. 15 units dist; 1 a Height 10 " " " S 49 W. 16 " "
80.00	Set a post for the cor. of sec. 27. 28. 33 & 34 from which a Sugar. 18 in. dist. trees S 2 E. 10 units dist; 1 a Beech 6. " " " N. 11. W. 20. " "
	This mile is over broken land; Soil good; Timber, Beech Sugar, Oak &c. W. S. Pine. &c. Feb. 22 ^d . 1815.

North	Between Sec. 29 & 30 T. 12. N. M. 4 N.
45.00	Set a 7 th Oak 20 units wide, loc. N. M.
40.00	Set a 7 th in post from which a Height 18 in. dist. trees S 45 E. 23 units dist; 1 a Poplar 15 " " " N 42 E. 34 " "
80.00	Set a post for the cor. of sec. 19. 20. 29 & 30 from which a Sugar. 12 in. dist. trees N 82 E. 27 units dist; 1 a Loc. 20 " " " N 11 W. 20 " "

T. N. 12 N.R. N. 4 W. 2nd Mrs Ind.

Soils but rich soil; Timber Buck, Sugar, &c
Undergrowth Spruce.

West Return Sat 19 & 30 T. 12 N.R. 4 W.
40.00 Set a 1/2 sec. post from which
Buck. 20 in. diam. trees. S 67 E. 40 links dist; 1 a
Buck. 15 " " " N 33 W. 39 " "
68.10 Enter at the West Boundary & set a post for the cor.
of sec. 19 & 30 from which
Buck. 18 in. diam. trees N 50 E. 20 links dist; 1 a
Sugar. 20 " " " S 40 W. 15 " "
Soils broken soil rich; Timber Oak, 7 Buck &
M. Spruce.

North Return Sat 19 & 20 T. 12 N.R. 4 W.
27.00 To a brook. 200 links wide, Sec. 7
40.00 Set a 1/2 sec. post from which
Buck. 14 in. diam. trees N 18 E. 17 links dist; 1 a
Sp. 13 " " " S 55 E. 13 " "
80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
Buck. 12 in. diam. trees S 80 W. 15 links dist; 1 a
Sugar. 14 " " " N 2 E. 20 " "
Soils broken. Soil rich; Timber Buck, Sugar &c
Undergrowth Spruce.

West Return Sat 18 & 19 T. 12 N.R. 4 W.
40.00 Set a 1/2 sec. post from which
Buck. 20 in. diam. trees N 18 W. 6 links dist; 1 a
Co. 10 " " " S 8 E. 10 " "
52.00 To a brook. 200 links wide, Sec. 11 W
68 7/5 Enter at the West Boundary and set a post for the cor.
of sec. 18 & 19 from which
Buck. 30 in. diam. trees S 10 W. 20 links dist; 1 a

133

T. N. 12. N. R. N. 4 W. Q. a. M. Ind. 2

Sugar 15 in. dia. beams N 15 E. 36 links dia; 1 a,
 Lunde broken rich soil; Timber Oak, Buck, 1 a,
 Undergrowth Pine.

North Return Sat 17.18 T. 12 N. R. 4 W.
 35.75 Set a 74 sw post from which a
 40.00 W. Oak 30 in. dia. beams N 84 E. 25 links dia; 1 a,
 Sugar 10 a " " S 86 W. 19 a "
 56.04 Set a post at the N Boundary of Harrison's Purchase
 at a post for the cor of sec 17.18 from which a
 Buck 30 in. dia. beams S 54 W. 19 links dia; 1 a,
 L. 20 a " " N 50 E. 22 a "
 Lunde same as last mile.

East Return Sat 17.20 T. 12 N. R. 4 W.
 40.00 Set a 74 sw post from which a
 W. Oak 14 in. dia. beams S 30 E 40 links dia; 1 a,
 Spruce Oak 36 a " " 30 W. 4 a "
 78.75 Set a post at the N Boundary Line of Harrison's Purchase
 and set a post for the cor of sec 17.20 from which a
 Buck 10 in. dia. beams S 20 W. 17 links dia; 1 a,
 Hemlock 110 a " " S 54 E. 15 a "
 Lunde same as last mile.

North Return Sat 28.29 T. 12. N. R. 4 W.
 40.00 Set a 74 sw post from which a
 Elm 20 in. dia. beams N 56 E. 20 links dia; 1 a,
 Sugar 20 a " " N 30 W. 40 a "
 80.00 Set a post for the cor of sec 20.21.28.29 in a creek 200
 yards wide Course N. W.
 Lunde same as last mile.

J. N^o 12. N.R. N^o 47. 3rd M^o Ind.

West Return Sat. 20 & 29 J. 12 N.R. 47.
 40.00 Set a 74 lb post from which
 Sugar. 14 in. dia. brass \$31 E. 27 Cords dish; 1 a
 Beef. 10 " " " \$54 E. 16 " "
 80.00 Intersat the N & S line at the post cor of ew. 19. 20. 29 &
 30 Sunde to same as last mile.

North Return Sat. 20 & 21 J. 12. N.R. 47.
 Capt. 6 birds mid. Co. N.R.
 40.00 Set a 74 lb post from which
 Sugar 10 in. dia. brass \$26 N. 47 Cords dish; 1 a
 Llo. 12 " " " \$35 N. 25 " "
 79.25 Intersat the N Boundary Line of Harris and Pichard
 under a post for the cor of ew. 20 & 21 from which
 Heik 18 in dia. brass \$57 E. 26 Cords dish; 1 a
 N. Cap. 24 " " " \$55 N. 30 " "
 Sunde to timber sort same

North Return Sat. 27 & 28 J. 12 N.R. 47.
 45.77 Trap Brook. 200 birds mid. Co N.
 40.00 Set a 74 lb post from which
 Heik 7 98 in dia. brass \$45 E. 23 Cords dish; 1 a
 Poplar. 15 " " " \$42 E. 34 " "
 80.00 Set a post for the cor of ew. 24. 25, 27 & 28 from which
 Sugar. 10 in. dia. brass \$66 N. 7 Cords dish; 1 a
 Beef. 12 " " " \$33 N. 37 " "
 Sunde to timber same as last mile.

West Return Sat. 21 & 28 J. 12 N.R. 47.
 40.00 Set a 74 lb post from which
 Beef. 10 in. dia. brass \$2 E. 25 Cords dish; 1 a
 Sugar. 14 " " " \$15 N. 43 " "
 80.00 To cor of ew. 20. 21. 28 & 29.

135

T. N^o 12. N.R. N^o 4 W 2nd Mer Inda.

Sand to same as last mile.

North Between Sec. 21 & 22 T. 12 N. R. 4 W.
 17.50 Intersect the N Boundary Line of Harrison's Purchase
 and set apart for the cor of sec. 21 & 22 from which
 Sugar — in dist. trees N 8.12 E 12 W 9 " " "
 Birch 8 " " " N 41 W 9 " "
 Sand to same as last mile.

East Between Sec. 22 & 27 T. 12 N. R. 4 W.
 22.10 Intersect the N Boundary of Harrison's Purchase & set
 apart for the cor of sec. 22 & 27 from which
 Keyk 718 in. dist. trees N 80 W. 10 E 16 " "
 Sugar 12 " " " East 16 " "
 Sand to same as last mile.

North Between Sec. 26 & 27 T. 12 N. R. N^o 4 W.
 29.80 To a creek 200 units m. E. W.
 39.20 Intersect the N Boundary of Harrison's Purchase & set
 apart for the cor of sec. 26 & 27 from which
 Sugar 14 in. dist. trees, N 10 W. 20 E 10 W. 25 " "
 W. Oak 15 " " " N 40 W. 25 " "
 Sand to same as last mile. Feb 22 1815

East Between Sec. 7 & 18 T. 12 N. R. 4 W.
 38.00 Intersect the N Boundary of Harrison's Purchase & set
 apart for the cor of sec. 7 & 18 from which
 Birch 18 in. dist. trees N 47 W. 19 E 5 " "
 Sugar 15 " " " S 30 E 5 " "
 Sand to same as last mile.

Survey by
 John M. Donald, L.S.

I No 12. N.R. No 4 Yp 2nd Ann Ind.

North	Return Sub. 17-18 I 12. N.R. 4 N.
56.04	To N Board of Harrison's Purchase
12.50	To a Spring branch. Co. N.
16.00	To a Lynn. 14 in dia. Stands in the line.
22.50	To a Spring branch. Co. N.
23.96	Set apart for the cor of cal. 7.8.17-18 from which a Beck. 18 in dia. bears N 21 N. 36 huts dish; on, Lo. 6 " " " N 85 E. 18 " " Lands hilly & very broken; 2nd rate; Timber 1 Beck, Oak, W Oak, Poplar, &c. W Y Spruce
West	On a Random line between Sub. 7-18 I 12. N.R. 4 N.
1.00	To Spring branch; Co. N.
9.00	" " Brook. 10 huts side, Co. N.
32.50	Set apart the N Board of Harrison's Purchase 60 lbs N 4th of the cor on the Random line. Lands hilly and broken Timber Beck, Sugar, W Oak W Y Spruce.
East	On the true line between Sub. 7-18 I 12. N.R. 4 N.
North	Return Sub. 7-18 I 12. N.R. 4 N.
9.25	To a Spring run 3 huts side, Co. N.
10.16	" " W Oak. 20 in. dia. Stands in the line.
12.14	" " Run 8 huts side, Co. N.
20.00	" " Spring Run " S.E.
23.00	" " " " " S.E.
26.50	" " " " " " "
40.00	Set apart for the cor of cal. 5.16.7-18 from which a Beck. 7 1/2 in dia. bears S 50 N. 3 huts dish; on, Maple 10 " " " N 58 E. 16 " " To a Poplar 20 in dia. Stands in line.
80.00	Set apart for the cor of cal. 5.16.7-18 from which a

137

J. N. 12. N.R. N. 47. D. M. S. d.

Buck. 8 in dia: bears S 75 W - the arch; ra,
 Hick 14, " " S 80 E. 30 " "
 P^h mile very hilly, broken 2nd p. some
 Timber Buck W Oak. 2 W Oak Lynn. Sugar. &

West Cross Random line between Lu. 67 of S. 12 N. R. 4 W
 40.00 Set a trap 7 1/4 mi. S. W. of post
 40.62 To a spring Branch Co. S. E.
 67.00 Into cut the West Branch. 3.22 miles South of the post,
 corner of Lu. 1212 S. 12 N. R. 5 W.

East On the line between Lu. 67 of S. 12 N. R. 4 W
 33.50 Set the 74 trap at the av. dist on the line from where
 Hick 24 in dia: bears S 49 E. 25 miles dist; ra,
 Buck 18 " " " N 65 W 19 " "
 Sand hilly & rough 2nd rate; Timber Buck Sugar,
 Poplar, W Oak, &c.
 67.00 To cor of Lu. 516, 7 & 8

North Return Lu. 516 S. 12 N. R. 4 W
 22.50 To a Sugar. 12 in dia: stands in line
 40.00 Set a 74 trap from where
 Buck. 20 in dia: bears S 26 W. 41 miles dist; ra,
 L. 36 " " " N 26 E. 39 " "
 30.90 To a Buck 28 in dia: in the line
 82.61 Into cut the N. Branch. 4.02 miles East of cor. to Lu. 516
 S. 13. N. R. 4 W and set a post for cor of Lu. 516 from where
 W. Walnut 10 in. dia: bears S 62 E. 29 miles dist; ra,
 Buck. 6 " " " S 8 E. 24 " "
 Sand P^h mile hilly & broken 2nd rate; Sand buck
 rough. 2nd rate; Timber Sugar, Buck, Oak, & Poplar.
 Sept. 30 1889

J. No 92. N.R. No 4 W. Qu. Mr. Sna.

North	Return	Dec. 20 & 21	S. 12 N.R. 4 W.
79.25	To N.E. line of Harrison's Purchase		
75	Set apart for the cor. of sec. 16, 17, 20 & 21 from which is		
	W. Oak. 36 mi. dist. bears N 39 W. 14	links	dist; 1 a
	Heik 12 " " "	S 71 E. 12 " "	
West	Return	Dec. 17 & 20	S. 12 N.R. 4 W.
0.70	Intersect the N. Corner of Harrison's Purchase 20 the		
	North of the post.		
East	Corrected the line between	Dec. 17 & 20	S. 12 N.R. 4 W.
North	Return	Dec. 17 & ¹⁸ 20	S. 12 N.R. 4 W.
23.60	To a Buck. 12 mi. dist. in line		
40.00	Set apart for the cor. of sec. 8, 9, 16 & 17 from which is		
	Buck. 10 mi. dist. bears S 44 W. 20	links	dist; 1 a
	Co. 6 " " "	N 38 E. 21 " "	
80.00	Set apart for the cor. of sec. 8, 9, 16 & 17 from which is		
	Buck. 10 mi. dist. bears S 40 W. 20	links	dist; 1 a
	Sugar. 15 " " "	S 82 E. 33 " "	
	Land of 1/2 mile very hilly & broken		
	" 1/2 " " " " " "		
	Timber Buck. Sugar. Oak. & Poplar		
	W of every description		
West	On Harrison line between	Dec. 8 & 17	S. 12 N.R. 4 W.
40.00	Set a temporary line		
59.00	To a Brook 4 links miles, Sec. N.W.		
78.14	Intersect the N.E. line 260 links North of the post. cor. of		
	Dec. 7, 8, 17 & 18		
East	On Harrison line between	Dec. 8 & 17	S. 12 N.R. 4 W.
39.07	Set the line apart in the line at our dist. from which is		

Heik 10 in dia: bears N 81 W. 26 lbs dia: & on
 Poplar. 18. " " S 51 E. 10. "
 Lands very hilly & broken; Timber Poplar, 7 Buck & Oak
 W. Y. Gum trees &c.

North	Between Sec. 8 & 9 T. 12. N.R. 4 W.
21.60	To Buck. 12 in dia: in the line.
38.00	To a Spring branch. Sec. 7.
40.00	Set a post from corner of sec. 8 & 9
	Log woods 3 in dia: bears N 44 W. 29 lbs dia: & on
	Buck. 12 " " " S 80 E. 10 " "
58.00	To a Heik 12 in dia: in the line.
80.00	Set a post for the cor. of sec. 4, 5, 8, & 9 from which
	Log woods 3 in dia: bears N 38 W. 11 lbs dia: & on
	Poplar 3 " " " S 3 E. 10 " "
	Lands rolling, woods broken Timber same as last mile.
West	On a line between Sec. 5 & 8 T. 12. N.R. 4 W.
5.00	To a Brook. 8 lbs wide, Sec. 11 W.
38.00	" " Sec. 25 " " " S.
40.00	Set a temp. 1/4 sec post from
60.00	To a Brook. 10 lbs wide, Sec. 11 E.
78.00	Intersect the N 43 W. line 320 feet North of the corner of sec. 5, 6, 7, & 8. Mountainous broken land; Timber Poplar Oak, Buck, W. Y. Gum trees & Hackberry
East	On a line between Sec. 5 & 8 T. 12. N.R. 4 W.
39.00	Set the 1/4 sec post at cor. division line from which
	Poplar 3 in dia: bears N 58 W. 19 lbs dia: & on
	Log woods 3 " " " S 58 E. 12 " "
78.00	To cor. of sec. 4, 5, 8, & 9.

T^h 12. N^o 4th 2nd Mer Ind.

North Between Sec. 4 & 5 T¹² N⁴ W.
 8.00 To Brook. 6 miles wide, Co. S^W.
 24.00 To a W. Oak 18 in dia. stands in the line.
 40.00 Set a 7/4 sec post from which
 Sugar. 24 in dia. trees. S³⁶ E. 14 miles dist; 2 a,
 Buck. 4 " " " N⁴⁶ W. 17 " "
 78.14 Enter out the N Boundary 110 miles West of the first cor.
 of sec. 32 & 33 S¹³ N⁴ W. in a set apart for the
 cor of sec. 4 & 5 from which
 Buck. 4 in. dia. trees. S⁵ W. 5 miles dist; 2 a,
 D³ 3 " " " N³⁶ E. 4 " "
 Lande rolling and oak; timber Buck. Sugar & Poplar
 W² Spruce.

North Between Sec. 21 & 22 T¹² N⁴ W.
 17.50 To North Boundary of Harrison's Purchase
 22.50 Set a 7/4 sec post from which
 W. Oak 12 in dia. trees N³⁷ W. 8 miles dist; 2 a,
 Buck. 12 " " " N⁸² E. 14 " "
 59.50 To a W. Elm 18 in dia. in the line.
 70.00 To a Brook. 15 miles wide Co. S^E.
 80.00 Set apart for the cor. of sec. 15, 16, 21 & 22, from which
 Buck. 8 in dia. trees S⁶⁹ W. 45 miles dist; 2 a,
 W. Elm 12 " " " S⁶⁴ E. 25 " "
 Lande hilly and very broken.
 Timber Buck. Oak, Poplar, W² Logwood.

West On a Random line between Sec. 16 & 21 T¹² N⁴ W.
 40.00 Set a 7/4 sec post
 86.66 Enter out the N⁴ line 47 miles South of the first cor.
 of Sec. 17, 16, 21 & 20.
 Lande hilly and broken 3rd rate. Timber Buck.
 Oak & Poplar, W² Gambusia.

141

I. No 12. N.R. No 4. W. 2nd. Wm. Ind.?

East On the line between Sec. 16. & 21. T. 12 N. R. 4 W.
 43.33 Set the 74 cu post at the corner ditch on the line from section.
 Log woods 4 in. dia. beam N 66 E. 19 units ditch; 1 a
 Buck. 4 " " " S 44 W. 15 " "
 86.66 To the post cor of sec. 15. 16. 20 & 21

North Return Sec. 15. & 16 T. 12 N. R. 4 W.
 17.50 To a W. Oak 14 in. dia. stands in line.
 40.00 Set a 74 cu post from which
 Buck. 15 in. dia. beam S 57 W. 57 units ditch; 1 a
 Ho. 12 " " " N 85 E. 7 " "
 62.00 To a Sugar 18 in. dia. in the line.
 62.50 " " Brook. 18 units wide, cor. S.E.
 80.00 Set a post for the cor of sec. 9. 10. 15. & 16 from which
 Buck. 15 in. dia. beam S 47 W. 31 units ditch; 1 a
 Ho. 18 " " " N 9 E 18 " "
 Land with 8 timber Buck, W. Oak, Poplar Undergrowth
 Log woods etc.

West On a Random line between Sec. 9. & 16 T. 12. N. R. 4 W.
 40.00 Set a transp. 74 cu post.
 86.06 Intersect the N & S line 29 units South of the post. cor.
 of sec. 8. 9. 16. & 17
 Land with, and Broken timber 7 Buck, W. Oak, &
 Poplar; W. Spruce.

East On a Random line between Sec. 9. & 16 T. 12 N. R. 4 W.
 43.03 Set the 74 Supack at the corner ditch on the line from section.
 Sugar. 5 in. dia. beam S 5 E 8 units ditch; 1 a
 Ho. 4 " " " N 18 W. 25 " "
 86.06 To the cor of sec. 9. 10. 15 & 16.

North Return Sec. 9. & 10 T. 12 N. R. 4 W.

T. N^o 12. N. P. N^o 47. 2^{na} M^o. Ind.

- 8.00 To at Beers 10 miles wide, Co. S.E.
 15.00 " " Same " " " " E.
 20.60 To at Buck 18 in diam. stands in the line.
 40.00 Set a post for the cor. from which a
 Sugar 18 in diam. bears S 89 E. 25 lbs dist; 1 a
 W Oak 36 " " " S 34 W. 30 " "
 58.00 To at Buck 12 in diam. in the line.
 80.00 Set a post for the cor. of 3, 4, 9 & 10 from which a
 Logwood 4 in diam. bears S 4 W. 20 miles dist; 1 a
 Buck 24 " " " S 49 E. 26 " "
 Sande roll of Lumber Buck, Sugar, W Oak
 Poplar & c. M^o. Logwood & Spine.

West Return Set 4 & 9 T. N^o 12. N. P. 4 W.

- 40.00 Set a post for the cor.
 86.73 Set a post for the N. S. line 18 miles North of the cor.
 Sande post roll of balance very hilly Lumber
 Buck, Sugar, W Oak & c. M^o Spine.

- East On the true line between T. N^o 12. N. P. 4 W.
 43.36 Set a post for the cor. of 4 Sec. at the aver. dist. in the
 true line from which a Sugar 10 in. diam. bears
 S 39. W. 24 lbs. dist. to S. 12. " " "
 S. 64. E. 27. " " "
 86.73 To the post cor. of T. N^o 12. N. P. 4 W.

- North Between T. N^o 12. N. P. 4 W.
 28.50 To a W. Oak 24 in. diam. stands in the line
 40.00 Set a post for the cor. of 4 Sec. from which a
 Sugar 10 in. diam. bears S 39. E. 14 lbs. dist. to
 Buck 10. " " " S. 73. E. 12. " " "
 61.30 To a Buck 24 in. diam. bears in the line.
 77.96 Intersect the N. Boundary 4.22 lbs. East of the post

143

T. N^o 12. N. B. N^o 4. W. 2nd Mer. (Ind^u)

cor. of Sec. 33. & 34. T. N^o 13. N. B. 4. W. & set a post
for the cor. of Sec. 3. & 4. from which a
Buck 14. in. diam. bears N. 89. W. 9. links. dist. 4 a
To 18. " " " " S. 22. E. 14. " "
Land rolling. Timber, Buck, Sugar. W. Oak.
Poplar. W. 9. Spice. &c.

North Between Sec. 26. & 27. T. N^o 12. N. B. 4. W.
39. 00 At Harrison's Purchase
20. 59 To a Buck 8. in. diam. stands in the line.
41. 00 Set a post for the cor. of Sec. 22. 23. 26. & 27. from which
a W. Walnut 12. in. diam. bears N. 18. E. 7. links. dist. 4 a
Buck 8. " " " N. 71. 1/2. W. " "
Land hilly & rich Timber Buck, Sugar. Ash.
Buck. Poplar. &c. Undergrowth Spice &c.

West On a Random line between Sec. 22. & 27. T. 12. N. B. 4. W.
25. 00 To a Spring
40. 00 Set a temp^y post for the cor. of 14 Sec.
48. 00 To a Buck 20. links. near. Course S. W.
57. 00 Intersected the line of Harrison's Purchase
Land hilly and very broken. Timber Buck. Ash.
Sugar. Poplar. &c. W. 9. Spice

East On the true line between Sec. 22. & 27. T. 12. N. B. 4. W.
40. 00 Set a temp^y post for the cor. of 14 Sec. from which a
Buck 24. in. diam. bears S. 65. W. 7. links. dist. 4 a
Sugar 15. " " " N. 35. E. 30. " "

North Between Sec. 22. & 23. T. N^o 12. N. B. N^o 4. W.
21. 50 To a Buck 12. in. diam. stands in the line
26. 50 To a Spring run - Course E.
33. 50 " " " " North.

T. N. 12. N. R. N. 4. W. 2nd Mer. Ind. a.

38. 00 To a Run 15 links wide; Course S. W.
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 15 in. diam. bears N. 76. W. 16. links. dist. 1/2
 B. Walnut 30. " " S. 56. W. 38. " "
 56. 40 To a W. Oak 16 in. diam. stands in the line.
 80. 00 Set a post for the cor. of Secs. 14. 15. 22. & 23. from which a
 W. Oak 14 in. diam. bears S. 84. E. 12. links. dist. 1/2
 Beech 10. " " S. 33. E. 18. " "
 The 1st 1/2 of this mile is hilly broken Land, 2nd 1/2 same;
 Timber, W. Oak. Beech. Poplar. Walnut Sugar St.
 W. Spice. Hornbeam. Green Briars. &c.

- West On a Random line between Secs. 15. & 22. T. N. 12. N. R. 4. W.
 40. 00 Set the temp. post for the cor. of 1/4 Sec.
 47. 00 To a run 15 links wide; Course S. W.
 82. 05 Intersect the N. & S. line 2.50 links. S. of the post cor. of
 Secs. 15. 16. 21. & 22.
 Land hilly & rolling. Timber. Beech. Sugar. Ash.
 Poplar. &c. Spice Undergrowth.

- East On a true line between Secs. 15. & 22. T. N. 12. N. R. 4. W.
 41. 02 Set a post at the even. dist. in the true line for the cor. of
 1/4 Sec. from which a
 Beech 16 in. diam. bears N. 78. W. 31. links. dist. 1/2
 Do. 20. " " " N. 28. E. 24. " "
 82. 05 To the post cor. of Secs. 14. 15. 22. & 23.

- North Between Secs. 14. & 15. T. N. 12. N. R. N. 4. W.
 20. 08 To a Hick. 12 in. diam. stands in the line
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar & in. diam. bears S. 31. W. 39. links. dist. 1/2
 Lynn 6. " " " S. 33. E. 36. " "
 45. 50 To a Run 15 links wide, Course N. W.

145

T. N^o 12. N.R. N^o 4 W 2nd Mer Ind^e

50.15 To a Beech 24 in. dia^r stands in the line
 80.00 Set a post for the cor of Sec^s 10, 11, 14, & 15 from which a
 Beech 14 in. dia^r bears N 31 W. 15 mks dist; to a
 Hickory 20 " " " S 75 E. 11 " "
 Lands 1/2 mile level and part rolling; 2nd 1/2 hill
 by and rolling. Timber W. Oak, Beech, & Sugar. Hick
 ory & Alder. Spice & Chumwood

West On a Random line between Sec^s 10 & 15 T. N^o 12. N.R. 4 W
 29.50 To a Oak 30 mks wide, Course South
 40.00 Set a temporary 1/4 sec post.
 72.00 To a Run 6 mks wide, Course S. W.
 82.15 Into set the N & S line 150 mks South of the post cor of
 Sec^s 9, 10, 15 & 16.
 Lands part level and the remainder hilly and rolling.
 Timber Beech, Sugar, & W. Oak. W. & Logwood, Spice
 & Green Briar

East On the true line between Sec^s 10 & 15 T. N^o 12. N.R. 4 W
 41.07 Set the temporary 1/4 sec. post at the aver dist on the true line
 from which a Beech 10 in. dia^r bears N 69 E. 16 mks dist; &
 also a Do. 12 " " " S 32 W. 25 " "
 82.15 To the post cor. of Sec^s 10-11-14, & 15

North Between Sec^s 10 & 11 T. N^o 12. N.R. N^o 4 W
 23.50 To a Brook 3 mks wide, Course W.
 26.80 To a Beech 20 in. dia^r stands in the line
 38.50 To a Spring branch Course S. W.
 40.00 Set a 1/4 sec post from which a
 Beech 14 in. dia^r bears S 44 E. 38 mks dist; to a
 Sugar 10 " " " N 82 E. 18 " " "
 40.75 To a Spring Run, Course West
 45.75 " " Same " " "

T. N^o 12 N.R. N^o 4 N^o 2nd Mer. S. N^o

48.70 To a Buck 12 in. dia. Stands in the line.
 80.00 Set apart for the cor. of sec. 2, 3, 10. & 11 from which
 W. Oak 18 in. dia. bears S 75 E. 35. links due; & a
 Do. 24 " " " N 46 W. 4 " "
 Lands 1/4 mile thick and broken 2nd 1/4 mile
 Timber W. Oak, Buck, Sugar, Poplar, &c. Undergrowth
 Hornbeam, Spice, Gum, & Birch

West On a random line between Sec. 3 & 10 T. N^o 12 N.R. 4 W.
 40.00 Set a temporary post
 82.11 Enter cut the N & S line 15 1/2 links South of the post cor.
 of sec. 3, 4, 9 & 10 Lands thick and broken; Timber
 W. Oak, Buck, Sugar, &c. Undergrowth. Immature, Horn-
 beam, Gum, Birch

East On the true line between Sec. 3 & 10 T. N^o 12 N.R. 4 W.
 41.05 Set the post (temp^y) at the average dish on the true line
 for the cor. of 1/4 sec. from which a
 Sugar 20 in. dia. bears S 66 E. 23 links due; & a
 Do. 14 " " " N 74 W. 22 " "
 82.11 To the post cor. of sec. 2, 3, 10. & 11.

North Return Sec. 2, & 3. T. N^o 12 N.R. N^o 4 W.
 6.50 To a Brook 20 links wide, Corner S.W.
 15.00 " " Do. 15 " " " S.E.
 18.50 To a Buck 15 in. dia. Stands in the line.
 40.00 Set a temporary post from which a
 Buck 10 in. dia. bears N 22 W. 9 links due; & a
 Do. 12 " " " S 19 E. 19 " "
 65.60 To a Buck 18 in. dia. Stands in the line.
 81.65 Enter cut the N Boundary 6.10 links East of the
 post for corner of sec. 34 & 35 T. 13 N.R. 4 W. and
 set apart for the cor. of sec. 2 & 3 from which a

147

T. N^o 12. N. R. N^o 4 W. 2nd M^o Ind^a.

Sugar 12 in. dia: bears N 45 E. 16 links dist; 1 as
 Ironwood 4 " " S 37 W. 19 " "
 Sandrolling brick; Timber YBuck, Sugar, Poplar,
 W. Oak, &c. Undergrowth Spine. &c.

North Between Sec. 35 & 36. T. N^o 12. N. R. N^o 4 W.
 58.80 To the Old fraction at N. Boundary of Harrison's Purchase
 11.50 To a Spring branch Corner S. W.
 12.00 To a YBuck 15 in. dia: Stands in the line.
 20.18 " " Spring branch. Corner West
 21.20 Set apart for the cor. of Sec. 25, 26, 35 & 36 from which
 Sugar 14 in dia: bears N 17 W. 4 links dist; and a
 Poplar 12 " " " S 81 E. 24 " "
 Sande hilly & very broken; Timber YBuck, Sugar,
 YBuck, &c. Undergrowth Spine.

West On a Random Line Between Sec. 26 & 35. T. N^o 12. N. R. N^o 4 W.
 52.75 To the Old fraction at the Boundary of Harrison's Purchase
 14.50 To a Brook 6 links wide, Corner S. W.
 27.25 Entered the N. Boundary of Harrison's Purchase at
 the Falls of Mill Creek
 Sande very broken; Timber YBuck, Sugar, Poplar
 Undergrowth Spine. &c.

North Between Sec. 25 & 26. T. N^o 12. N. R. N^o 4 W.
 7.50 To a Run 8 links wide, Corner S. W.
 15.45 " " YBuck. 18 in dia: Stands in the line
 40.00 Set apart for the cor. of Sec. 23, 24, 25 & 26 from which
 YBuck 18 in dia: bears N 50 W. 23 links dist; and a
 Gum 20 " " " N 23 E. 13 " "
 59.40 To an Oak. 20 in dia: Stands in the line
 80.00 Set apart for the cor. of Sec. 23, 24, 25 & 26 from which
 Sugar 14 in dia: bears N 56 W. 6 links dist; and a

T. N^o 12 N.R. N^o 4 1/2nd New Ind.

Beck 20 in. dia^r beam S 36 E. 13 links dist;
 Lands 1st 1/2 mile hilly and broken; 2nd 1/2 mile and out
 part roll^d; Timber Buck, Sugar, Ash, W. Oak &c
 Undergrowth Spice, Ironwood &c

West On a Random line between Sec. 23 & 26 T. 12 N. R. 4 W.
 40.00 Set a temp^y 1/4 sec post
 81.75 Intersect the N 13 line 4 links North of the first set for
 cor of sec. 22, 23, 26 & 27
 Lands greatest part level; the balance hilly and roll^d.
 Timber W. Oak. Buck & Sugar, Poplar, Ash &c
 Undergrowth Spice.

East On the true line between Sec. 23 & 26 T. 12 N. R. 4 W.
 40.87 Set the temp^y post at the average dist in the true line
 for the cor. of 1/4 sec. from which is
 Buck. 26 in. dia^r beam S 59 W 27 links dist; &c
 Do 10 " " " N 56 E. 13 " "
 81.75 Is the first cor of sec. 23, 24, 25, & 26.

North Between Sec. 23 & 24 T. N^o 12 N.R. N^o 4 W.
 21.15 Is a W. Oak 28 in. dia^r stands in the line
 40.00 Set a 1/4 sec. post from which is
 Buck. 18 in. dia^r beam N 12 W. 30 links dist; and is
 Do. 12 " " " S 37 W 33 " "
 50.15 Is a Sugar 24 in. dia^r stands in the line
 60.45 Is a Run. 6 links wide, Corner West
 80.00 Set a post for the cor. of Sec. 13, 14, 23 & 24 from which
 Buck. 20 in. dia^r beam S 45 E. 46 links dist; and is
 Hick^y 10 " " " N 49 E. 20 " "
 Land rolling and part level; Timber Buck, W. Oak
 Sugar, Elm, Walnut &c. Undergrowth Spice

149

T. N^o 13 N. R. N^o 4 W. 2nd (New Ind^a.)

West	On a Random line between Sec. 14 & 23. T. N ^o 12. R. 4 W.
40.00	Set a $\frac{1}{4}$ sec. post (temp ^y)
82.00	Intersected the N ^o 8 line 62 miles North of the post cor. of sec. 14, 15, 22, & 23. Lands part level and part hilly and rolling; Timber Beech, Sugar, W. & R. Oak, Ash &c. Undergrowth Dogwood Spice. &c.
East	On the true line between Sec. 14 & 23. T. N ^o 12. R. 4 W.
41.00	Set the temp ^y post at the avor. dish on the true line for the cor. to $\frac{1}{4}$ sec. from which a Beech. 15 in. diam. bears South. 49 miles dish; and a W. Oak. 18 " " " N 42 E. 23 " "
82.00	To the cor. of sec. 13, 14, 23, & 24.
North	Between Sec. 13 & 14 T. N ^o 12. R. N ^o 4 W.
14.00	To a Beech. 10 in. diam. in line.
40.00	Set a $\frac{1}{4}$ sec. post from which a Poplar. 30 in. diam. bears N 34 E. 25 miles dish; and a Beech. 10 " " " S 18 W. 10 " "
47.60	To a Brook 8 miles wide, Course N.
57.40	To a W. Ash 30 in. diam. in the line.
80.00	Set a post for the cor. of sec. 11, 12, 13 & 14 from which a Sugar. 12 in. diam. bears S 10 W. 15 miles dish; and a W. Ash 15 " " " N 32 W. 10 " "
	Lands level and rich; Timber Beech, Sugar, Ash, Poplar, Oak &c. Undergrowth Spice.
West	On a Random line between Sec. 11 & 14 T. N ^o 12. R. N ^o 4 W.
5.20	To a Spring branch, Course N.
25.00	" " Brook 8 miles wide, Course N.
39.00	" " " 25 " " " S
40.00	Set a temp ^y $\frac{1}{4}$ sec. post

T. N^o 12. N.R. N^o 4 W. 2nd Mer. Ind^a.

45.14 To a Spring branch Course S.E.
 82.16 Enter at the N.S. line 147 links South of the cor of sec.
 10-11-14-15

East In the true line between Sec. 11-14 T. N^o 12. N.R. 4 W.
 41.08 Set the temporary post at the average distance on the true line
 for the cor. of 1/4 sec. from which =
 Sugar 10 in dia^r bears N 18 W. 13 links due; and =
 Beech 10 " " " S 36 W. 9 " "
 82.16 To the post cor. of Sec. 11-12-13-14
 Sand & roll^d & crude broken; Timber Beech, Sugar,
 Poplar, Oak &c. Undergrowth Dogwood

North Between Sec. 11-12 T. N^o 12. N.R. N^o 4 W.
 18.00 To a Beech 10 in dia^r stands in the line.
 40.00 Set a 1/4 sec. post from which =
 W. Oak 40 in dia^r bears S 70 E. 15 links due; and =
 Beech 8 " " " S 22 W. 19 " "
 53.50 To a Hick^{ry} 20 in dia^r stands in the line.
 72.60 To a Brook 25 links wide Course West
 80.00 Set a post for the cor of sec. 1-2-11-12 from which =
 Sugar 18 in dia^r bears N 82 W. 16 links due; and =
 Beech 3 " " " S 37 E. 10 " "
 Lands 1/2 to 1 mile roll^d. 2nd & 3rd Secs. and roll^d & hilly
 Both 2nd & 3rd rates; Timber Beech, Sugar, Poplar &c.
 Undergrowth Spice.

West Any Random line between Sec. 2-11 T. N^o 12. N.R. 4 W.
 40.00 Set a temporary 1/4 sec. post
 81.00 Enter at the N.S. line 60 links North of the post cor of sec.
 2, 3, 10-11. Lands flat land and part roll^d. Timber
 W. Oak, Walnut, Sugar, Beech &c. W. Spice

I. N^o 12. N.R. N^o 477. 2^m. Wm. Ind.

East On the true line between Sec. 2 & 11 S. 12 N.R. 477
 40.50 Set the tripst post at the avers dist on the true line for the cor.
 of $\frac{1}{4}$ sec. from which
 Gum 12 in diam. bears S 9 E. 18 miles dist; and a
 Sugar 18 " " N 46 W. 8 " "
 81.00 To the post cor of sec. 1, 2, 11 & 12

North Between Sec. 1 & 2 S. N^o 12. N.R. N^o 477
 4.00 To a Spring on South.
 19.50 To a Sugar 18 in diam. stands in the line.
 41.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 10 in. diam. bears S 61 W. 19 miles dist; and a
 Do. 15 " " " S 66 E 31 " "
 52.00 To a Beech 12 in diam. stands in the line.
 81.67 Intersect the N. Boundary 64 miles East of the post cor
 of sec. 35 & 36. S. N^o 13. N.R. N^o 477. and set a post for
 the cor of sec. 1 & 2 from which a
 Beech 10 in diam. bears S 38 W. 9 miles dist; and a
 Sugar 12 " " " N 62 W. 31 " "
 Lands well & made rich; Timber Sugar, Beech, Wal-
 nut, Oak, Poplar, &c. Undergrowth. Spruce.

East Between Sec. 25 & 36. S. N^o 12. N.R. 477
 14.00 To a Beech 18 in diam. stands in the line
 40.00 Set a $\frac{1}{4}$ sec. post from which a
 Beech 12 in diam. bears N 38 W. 23 miles dist; and a
 Do. 6 " " " N 17 W. 25 " "
 77.76 Intersect the East Boundary 129 miles South of the
 post set for the cor of sec. 25 & 36 and set a post from
 which a Beech 18 in diam. bears S 58 W. 41 miles dist; & a
 Do. 12 " " " N 74 E 10 " "
 Lands hilly and broken Timber Beech Sugar &
 Poplar & Hemlock Undergrowth. Dogwood.

T. N^o 12 N.R. N^o 47th 2nd Mrs. Ind.

East Return Sep. 24 & 25 T. N^o 12 N.R. 47th
 20.56 To a Buck 20 in dia. stands in the line
 40.00 Set a 1/4 cu. post from which a
 Buck 12 in dia. bears N 1 E. 21 links dist; and a
 Do. 12 " " " S 26 W 25 " "
 62.60 To a Brook 10 links wide, corner S.W.
 76.50 Intersected the East Boundary 180 links South of the
 post cor of Sep. 24 & 25 and set a post for the cor of Sep
 24 & 25 from which a
 Sugar 8 in dia. bears S 29 E. 15 links dist; and a
 Do. 10 " " " N 31 W. 39 " "
 Sand barbed wire 2nd rate; Timber Buck, Poplar & W
 Oak; Wild & Spine.

East Return Sep. 13 & 14 T. N^o 12 N.R. 47th
 20.40 To a Buck 24 in dia. stands in the line.
 23.00 " " Brook 8 links wide, corner S.E.
 40.00 Set a 1/4 cu. post from which on
 W. Oak 8 in dia. bears S 74 E. 14 links dist; and a
 Buck 12 " " " N 76 W. 10 " "
 76.14 Intersected the East Boundary 281 links South of the post
 cor. of Sep. 13 & 14 and set a post at intersection from which
 a Buck 20 in dia. bears S 71 W. 33 links dist; and a
 Buck 12 " " " N 2 E. 12 " "
 Sand barbed wire; Timber Buck, Sugar, Walnuts,
 Ash, & Undergrowth Spine, etc.

East Return Sep. 12 & 13 T. N^o 12 N.R. N^o 47th
 16.00 To a W. Elm 30 in. dia. stands in the line
 40.00 Set a 1/4 cu. post from which a
 Buck 4 in dia. bears S 41 W. 25 links dist; and a
 Do. 3 " " " N 6 E. 10 " "
 58.10 To a W. Oak 24 in dia. stands in the line.

T. N. 12. N. R. N. 4 W. 2nd Mer. Ind.

76.00	Entered the East Boundary 352 miles South of the first cor of sec 12 & 13 and set a post at the intersection from which a Beech. 24 in dia: bears N 41 W. 14 miles dist; and a Ironwood. 5 " " " S 41 E. 16 " " Sande wood and oak; Ironwood, Sugar, Walnut, Black & Poplar, Whitingworth Spruce.
East	Between Sec. 1 & 12 T. N. 12. N. R. N. 4 W.
21.10	To a Beech. 10 in dia: stands in the line.
33.60	" " Brook. 20 miles wide, crossed S.
30.10	" " Spring " W.
40.00	Set a 1/2 sec post from which a Beech. 18 in dia: bears S 45 W. 13 miles dist; and a Do. 15 " " " N 33 E. 28 " "
59.00	To a Sugar. 18 in. dia: stands in the line.
76.14	Entered the East Boundary 451. miles South of post and set a post for the cor. of intersection from which a Beech. 24 in dia: bears N 6 W. 31 miles dist; and a Sugar. 18 " " " S 22 E. 53 " " Sande rolling and oak; Ironwood, Sugar, Beech, Ash, W Oak, &c. W. Spring.
	Surveyed by

I certify that the foregoing transcript of the Field Notes of Township N. 12 North of Range N. 4 West of the 2nd Meridian, Indiana, has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Dec. 31 1840

E. S. Haines
Sur. Genl.